

# Notice of Allowability

Application No.

10/725,007

Examiner

Timothy L. Maust

Applicant(s)

HAIMI, SHLOMO

Art Unit

3751

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to papers filed on 7/6/05.
2. ☒ The allowed claim(s) is/are 1,4-12 and 19.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

- |   |  |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                    |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance              |
|   | 9. <input type="checkbox"/> Other _____.   |

### EXAMINER'S AMENDMENT

The response date 7/6/05 is non-compliant from the amended response dated 5/31/05. In order to expedite the case, the Examiner has made amendments to match that which was entered on 5/13/05.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

**Cancel claims 2, 3 and 13-18.**

In claim 1 (patent claim 1),

Line 8, after "configuration" insert - - , and said actuating element substantially circumscribes at least a portion of said pump configuration, - -.

Line 10, after "element" insert - - about said pump configuration - -.

Line 13, after "vacuum", insert - - ; wherein one of said pumping element and said actuating element includes a longitudinally-wave-like groove, and the other of said pumping element and said actuating element includes at least one pump activation pin configured to engage said wave-like groove, such that during said continuous rotation said activation pin contacts an edge of said longitudinally-wave-like groove, thereby generating said reciprocating linear motion - -.

In claim 4 (patent claim 2),

Line 1, change "3" to - - 1 - -.

Add new claim 19 as follows,

- -19. A lid assembly for creating a partial vacuum within a container, the lid assembly comprising:


- a) a seat-portion for sealing connection to the container;
- b) a pump configuration associated with said seat-portion and configured with a pumping element actuated in a reciprocating linear motion to pump gas from within the container to an external atmosphere, and said pump configuration includes at least one one-way inlet valve and at least one one-way outlet valve;
- c) a rotatable actuating element mechanically associated with said pump configuration such that continuous rotation of said actuating element in a given rotational direction generates said reciprocating linear motion of said pumping element, thereby expelling a quantity of gas from the container to generate at least a partial vacuum; and
- d) a filter element associated with said one one-way inlet valve. - -

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Maust whose telephone number is (571) 272-4891. The examiner can normally be reached on Tue. - Thur. 6:30 - 5:00.

Art Unit: 3751

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine R. Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Timothy L Maust  
Primary Examiner  
Art Unit 3751

Tlm  
8/9/05